

A1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.



AP Racing
Wheler Road
Coventry
CV3 4LB
Tel: +44 (0) 24 7663 9595
Fax: +44 (0) 24 7663 9559
e-mail: engineering@apracings.co.uk
Web site: <http://www.apracings.com>

DISC PART NUMBERS
CP3784-128 RH AS DRAWN
CP3784-129 LH OPPOSITE

THIS IS A 48 VANES DISC OF MASS 9.58 KG.



SUFFIX TO DISC PART NUMBERS:

SUFFIX DETAILS
P PLAIN (NO GROOVES)
CR8 8 CURVED RUN OUT GROOVES
BREAKING THROUGH OD AS SHOWN.

THIS DISC WAS DESIGNED TO WORK WITH D65 DEPTH PADS.
FOR STANDARD FLOAT USE WITH BOBBIN CP2494-589MJ.


FOR DISC MOUNTING TECHNIQUES, BEDDING
PROCEDURE AND DISC COOLING RECOMMENDATIONS
SEE AP RACING BRAKE DISC CATALOGUE.

DISC INSTALLATION



10 SLOTS EQUISPACED ON A 208.00 PCD.
CHMF 0.5x45° BOTH SIDES.

10 CUTOUTS EQUISPACED AND
LOCATED CENTRALLY BETWEEN
MOUNTING SLOTS AS SHOWN.



Issue No.	Date & No.	Alterations		Zone	Initials
		Particulars	#		
1	10/09/03 B3742	FIRST ISSUE			GM
2	02/05/07 B4460	DISC CONVERTED TO TWIN TURNING			SAT

SCALE 1:1	SHEET 1 OF 1
DRAWN	Gael Mace
APPROVED	
DERIVED FROM	
TITLE Ø360.00 x 34 VENT DISC	
DRG NO.	CP3784-128/129