CALIPER SPECIFICATION

BORE SIZE	27.00 x 27.00 (1.06"x1.06")
PISTON AREA / PAD	11.36 cm ²
DISC DIA. MAX.	360.00
DISC THICKNESS MAX.	28.00
DISC THICKNESS MIN.	26.00 (DIFFERENTIAL WEAR NOT TO
(WORN CONDITION)	EXCEED 0.5mm SIDE TO SIDE)
WORKING PRESSURE	SEE DATA SHEET P14.330 (AVAILABLE
	FROM AP RACING TECHNICAL DEPT.)
HYDRAULIC FEED	M10 x 1.0
DRY WEIGHT	2.48kg (ESTIMATED)
(LESS PADS)	
PAD FAMILY	CP3215
EFFECTIVE RADIUS	154.00
(ON DIA. 360.00 DISC)	
'PL' DIMN.	60.36
OFFSET	46.86
'C' DIMN.	
MTG. HOLE CENTRES	152.00
'D' DIMN.	
PAD FRICTION MATERIAL	2.50
MIN. THICKNESS	
PAD RETENTION	LEDGES
TIGHTENING TORQUES	BLEED SCREW: 17Nm
	HYDRAULIC FEED: 25Nm
	RETAINER BOLT: 19Nm
CORROSION PROTECTION	FLUID RESISTANT PAINT FINISH -
	ALUMINIUM BODY.
	BOOT TYPE DIRT SEALS.

CALIPER POSITIONING CHART

RHT	RIGHT HAND TRAILING (BEHIND AXLE)
LHT	LEFT HAND TRAILING (BEHIND AXLE)
RHL	RIGHT HAND LEADING (IN FRONT OF AXLE)
IIII	LEET HAND LEADING (IN EPONT OF AVLE)


PART NUMBERING CONVENTION

PART NUMBER	DESCRIPTION
CP9202-2	RHT – SIDE FEED – NO ANTI KNOCK BACK SPRING
CP9202-3	LHT – SIDE FEED – NO ANTI KNOCK BACK SPRING
CP9202-4	RHL - SIDE FEED - NO ANTI KNOCK BACK SPRING
CP9202-5	LHL - SIDE FEED - NO ANTI KNOCK BACK SPRING

* SEE WEBSITE & CATALOGUE FOR LATEST PAINT OPTIONS, DENOTED BY AN ADDITIONAL PART NUMBER SUFFIX














263.00 MAX.

PRACING



AP Racing Wheler Road Coventry CV3 4LB

Tel: +44 024 7663 9595 Fax: +44 024 7663 9559 e-mail: sales@apracing.co.uk

٥	e-mail: sales@apracing.co.uk © AP Racing Ltd. 2014 Web site: HTTP://www.apracing.com				
Issue No.	D. (. 0.1)	Alterations Particulars	Zone	nitials	
1	Date & No. 21/01/16 R4145	FIRST ISSUE	Z #	AT	
2	04/05/17 R4145_18	RETAINER BOLT TIGHTENING TORQUE ADDED TO TABLE	4K	AT	N
3	21/05/25 WF-4012_02		1H	AMO	м
					L
					к
					J
					н
					G
					F
					Е
					D
SC	ALE 1:1	SHEET 1 OF 2			С
	AWN	A.THORPE			L
AP	PROVED				

DERIVED FROM CP9200-1CD

4-PISTON CALIPER INSTALL'N DRAWING 360 MAX x 28 DISC

DRG NO. CP9202-1CD

	132.25	
50.30		
		(16.75)
		_

CP3215 PAD FAMILY PAD AREA (MAX.) - 76.30 CM²

