

A1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.



AP Racing
Wheler Road
Coventry
CV3 4LB

Tel: +44 (0) 24 7663 9595
Fax: +44 (0) 24 7663 9559
e-mail: engineering@apracings.co.uk
Web site: <http://www.apracings.com>

© AP Racing Ltd. 2005

DISC PART NUMBERS

CP3784-2098 RH AS DRAWN
CP3784-2099 LH OPPOSITE

THIS IS A 48 VANE DISC OF MASS 8.9 Kg

SUFFIX TO DISC PART NUMBERS:-

SUFFIX DETAILS


P PLAIN (NO GROOVES)
CRnn CURVED RUNOUT GROOVES AS SHOWN. VALUE nn PER FACE.
eg CR8 MEANS 8 CURVED GROOVES PER FACE.

FOR DISC MOUNTING TECHNIQUES, BEDDING PROCEDURE AND DISC COOLING RECOMMENDATIONS SEE AP RACING BRAKE DISC CATALOGUE.

DISC INSTALLATION



DISC ROTATION

DISC ROTATION



DISC ROTATION

10 HOLES $\phi 8.48 \pm 0.025$
EQUI-SPACED ON A PC $\phi 235.8$
CHF $0.5 \times 45^\circ$ EACH SIDE



Issue No.	Date & No.	Particulars	Alterations	
			Zone	Initials
1	31/10/01 B3183	CURRENT ISSUE	#	DRA
2	06/11/01 RAC10004	7.0 \pm 0.05 WAS 6.5 \pm 0.05	#	DRA
3	09/05/06 B4543	CHANGED TO TWIN TURNED.	#	CDA

SCALE 1:1	SHEET 1 OF 1
DRAWN	D.ARROWSMITH
APPROVED	
DERIVED FROM	
TITLE	
VENTILATED DISC	
$\phi 378.0 \times 32.0$	
DRG NO.	CP3784-2098/2099