

A1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.



AP Racing
Wheler Road
Coventry
CV3 4LB

Tel: +44 (0) 24 7663 9595
Fax: +44 (0) 24 7663 9559
e-mail: engineering@apracings.com
Web site: <http://www.apracings.com>

© AP Racing Ltd. 2005

DISC PART NUMBERS

CP5000-206 RH AS DRAWN
CP5000-207 LH OPPOSITE

THIS IS A 30 VANE DISC OF MASS 6.7 Kg



SUFFIX TO DISC PART NUMBERS:-

SUFFIX DETAILS


P PLAIN (NO GROOVES)
CGnn CURVED GROOVES AS SHOWN, VALUE nn PER FACE.
eg CG8 MEANS 8 CURVED GROOVES PER FACE.

THIS DISC WAS DESIGNED FOR A D50 DEPTH PAD.

FOR DISC MOUNTING TECHNIQUES, BEDDING PROCEDURE AND DISC COOLING RECOMMENDATIONS SEE AP RACING BRAKE DISC CATALOGUE.



12 HOLES Ø6.425 ±0.025
EQUI-SPACED ON A PC Ø203.2
CHF 0.5 x 45° EACH SIDE.



Issue No.	Date & No.	Alterations	
		Particulars	Zone
1	08/07/02 B3373	CURRENT ISSUE	# DRA
4	20/01/2006 B4460	TWIN TURNING CHANGES	# CDA

SCALE 1:1	SHEET 1 OF 1
DRAWN	D.ARROWSMITH
APPROVED	
DERIVED FROM	
TITLE	
Ø330.2 x 32	
VENTILATED DISC	
DRG NO.	CP5000-206/207CD