


B1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.

AP Racing
Wheler Road
Coventry
CV3 4LB
Tel: +44 024 7663 9595
Fax: +44 024 7663 9559
e-mail: sales@apracing.co.uk
Web site: HTTP://www.apracing.com



NOMINAL RADIAL PROFILE SCALED FOR A Ø300 DISC

GENERAL DESCRIPTION:
4 PISTON DIFFERENTIAL BORE CALIPER TO SUIT UP TO Ø355 x 32 IRON DISC

APPLICATION:
RALLY



TECHNICAL INFORMATION:
TOTAL PISTON AREA: 45.9cm²
PISTON MATERIAL: STAINLESS STEEL
BODY MATERIAL: FORGED ALUMINIUM ALLOY
APPROXIMATE ASSEMBLY WEIGHT: 2.16kg

INSTALLATION INFORMATION
DISC & CALIPER MOUNTING TOLERANCES TO BE SUCH THAT THE DISC IS CENTRAL TO THE CALIPER TO WITHIN ±0.5mm.
CALIPER TO BE MOUNTED WITHIN ±15° FROM VERTICAL.
DISC DIAMETRAL CLEARANCE SHOULD BE 2.5mm NOM. FROM DISC O.D. TO PATHWAY.
BLEED SCREW MAX. TIGHTENING TORQUE 17Nm

KEY TO DIMENSIONS:
"PL": TOP OF PAD MATERIAL TO MOUNTING BOSS FACE WITH PAD SITTING DOWN ON LEDGE.



CALIPER PART NUMBERS
CP6840-6S4L - RIGHT HAND
CP6840-7S4L - LEFT HAND

ALL HYDRAULIC THREADS M10x1MM




NOMINAL RADIAL PROFILE SCALED FOR A Ø355 DISC

OPTIONAL DRY BREAK FITTING
TIGHTENING TORQUE 13Nm
DRY BREAK TO BE USED IN CONJUNCTION WITH CP6300-7 BLEED SYSTEM FITTING FOR FURTHER DRY BREAK INFORMATION & SPARES REFER TO CP6300-13CD INSTALLATION DRAWING.



TARMAC PAD
CP6820D48 FAMILY IRON PAD
AREA - 63.2CM²
THICKNESS - 16MM
VOLUME - 69.5CM³



GRAVEL PAD
CP6820D46 FAMILY IRON PAD
AREA - 61.7CM²
THICKNESS - 16MM
VOLUME - 67.9CM³

Issue No.	Alterations		
	Date & No.	Particulars	Zone / Initials
1	05/09/12 B6411	FIRST ISSUE	# RS
2	06/09/12	REFERENCE TO LEADING CALIPER REMOVED.	L4 RS
3	04/12/12 B6411	RADIAL PROFILE WITH DUCT MOVED TO SHEET 2 RADIAL PROFILE WITHOUT DUCT ADDED TO SHEET 1	# RS
4	07/01/13 B6411	CHANGE TO NOTE - CALIPER PART NUMBERS CP6840-6S4L, CP6840-7S4L WAS CP6840-4S4L, CP6840-5S4L	J8 RS
5	22/01/13 B6717	DIMN Ø12.15/12.05 WAS Ø10.20/10.15 SHEET 2 - 7x TAPPED HOLES WAS 4x SHEET 3 - CP6720-162 ADDED TO TABLE	K17 RS M17

SCALE 1:1	SHEET 1 OF 3
DRAWN	RSimpson
APPROVED	
DERIVED FROM	
TITLE	FORGED 4-POT RALLY CALIPER
DRG NO.	CP6840-1CD

B1 INSTALLATION DRAWING


IF THIS DOCUMENT IS PRINTED IN HARDCOPY, IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE




THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.




AP Racing
Wheler Road
Coventry
CV3 4LB
Tel: +44 024 7663 9595
Fax: +44 024 7663 9559
e-mail: sales@ap racing.co.uk
Web site: HTTP://www.ap racing.com




RADIAL PROFILE WITH DUCT SCALED FOR A Ø300 DISC





RADIAL PROFILE WITH DUCT SCALED FOR A Ø355 DISC






THE RECESS IN THE DUCT CAN BE COVERED WITH DUCT TAPE OR SIMILAR ONCE THE SCREW HAS BEEN FITTED TO CREATE A SMOOTH SURFACE FOR THE AIR FLOW



OPTIONAL DUCT KIT CP6820-110



5x M4x0.70 BUTTON HEAD SCREWS TO RETAIN CARBON DUCT (INCLUDED IN CP6820-110 DUCT KIT)



Issue No.	Alterations			Zone	Initials
	Date & No.	Particulars			

SCALE 1:1	SHEET 2 OF 3
DRAWN R Simpson	
APPROVED	
DERIVED FROM	
TITLE FORGED 4-POT RALLY CALIPER	
DRG NO.	CP6840-1CD

B1 INSTALLATION DRAWING

IF THIS DOCUMENT IS PRINTED IN HARDCOPY IT IS FOR INFORMATION USE ONLY AND THEREFORE IS NOT SUBJECT TO UPDATING CONTROLS. ALWAYS REFER TO SOLIDWORKS VIEWER FOR LATEST ISSUE



FIRST ANGLE PROJECTION


THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT SHALL NOT BE LOANED OR COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF AP RACING LTD.



AP Racing
Wheler Road
Coventry
CV3 4LB

Tel: +44 024 7663 9595
Fax: +44 024 7663 9559
e-mail: sales@apracing.co.uk
Web site: HTTP://www.apracing.com

© AP Racing Ltd. 2005



REF	PART NO.	DESCRIPTION	QTY PER CALIPER
1	CP3880-1	M10 BLEED SCREW KIT	1
2	CP3355-114	M4x0.7 BUTTON HEAD SCREW	2
3	CP6820-109	PAD RETAINER WEARPLATE	1
4	CP3215-115	M4x0.7 CAP SCREW	4
5	CP8518-GK	HIGH TEMP SEAL KIT	1
6	CP6820-106	1 3/8" SST PISTON	2
7	CP6820-107	1 5/8" SST PISTON	2
8	CP2667-105	4Lb AKB SPRING	4
9	CP6820-113	PAD ABUTMENT WEARPLATE	4
10	CP6720-162	TOP HAT BUSH	2

Issue No.	Alterations			Zone	Initials
	Date & No.	Particulars			

SCALE 1:2	SHEET 3 OF 3
DRAWN	RSimpson
APPROVED	
DERIVED FROM	
TITLE 4-POT RALLY CALIPER INSTALLATION DRAWING	
DRG NO.	CP6840-1CD